

21300 Series

Aanduiding	Principal Dimensions(mm)				Basic Load Ratings(KN)		Limited Speed(rpm)		Weight (kg)
	d	D	B	rs min	Dynamic(Cr)	Static(Cor)	Grease	Oil	
21308	40	90	23	1.5	88	90	3200	4900	0.705
21308K	40	90	23	1.5	88	90	3200	4900	0.694
21308KW33C3	40	90	23	1.5	88	90	3200	4900	0.694
21308W33C3	40	90	23	1.5	88	90	3200	4900	0.705
21309	45	100	25	1.5	102	106	2900	4400	0.927
21309K	45	100	25	1.5	102	106	2900	4400	0.912
21309KW33C3	45	100	25	1.5	102	106	2900	4400	0.912
21309W33C3	45	100	25	1.5	102	106	2900	4400	0.927
21310	50	110	27	2	118	127	2600	4000	1.21
21310K	50	110	27	2	118	127	2600	4000	1.19
21310KW33C3	50	110	27	2	118	127	2600	4000	1.19
21310W33C3	50	110	27	2	118	127	2600	4000	1.21
21311	55	120	29	2	145	163	2400	3700	1.71
21311K	55	120	29	2	145	163	2400	3700	1.69
21311KW33C3	55	120	29	2	145	163	2400	3700	1.69
21311W33C3	55	120	29	2	145	163	2400	3700	1.71
21312	60	130	31	2.1	167	191	2200	3400	2.1
21312K	60	130	31	2.1	167	191	2200	3400	2.07
21312KW33C3	60	130	31	2.1	167	191	2200	3400	2.07
21312W33C3	60	130	31	2.1	167	191	2200	3400	2.1
21313	65	140	33	2.1	194	228	2000	3100	2.55
21313K	65	140	33	2.1	194	228	2000	3100	2.51
21313KW33C3	65	140	33	2.1	194	228	2000	3100	2.51
21313W33C3	65	140	33	2.1	194	228	2000	3100	2.55
21314	70	150	35	2.1	220	262	1900	2900	3.18
21314K	70	150	35	2.1	220	262	1900	2900	3.14

21300 Series

21314KW33C3	70	150	35	2.1	220	262	1900	2900	3.14
21314W33C3	70	150	35	2.1	220	262	1900	2900	3.18
21315	75	160	37	2.1	239	287	1800	2700	3.81
21315K	75	160	37	2.1	239	287	1800	2700	3.76